EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12061	computer adj mouse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:16
L4	11837781	(computer adj mouse) or (input device) or (mouse or mice) or (pointing adj device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:17
L5	165987	(previous$2 or back or forward or backward) near5 (application$1 or pag$3 or document$4 or internet adj browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:29
L6	4236408	(activat$3 or identify$3 or display$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:24
L7	3107	5 near 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:25
L8	817	4 same 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:25
L9	108005	"345"/$.ccls. or "715"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:26

L10	257	8 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:27
L11	7024	control$3 adj (cursor or pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:27
L12	19	10 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:28
L13	171088	(previous$2 or back or forward or backward upward or down-ward page-up or page-down) near5 (application$1 or pag$3 or document$4 or internet adj browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:38
L14	0	(computer adj mouse) with 6 with 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:36
L15	27166	(computer adj mouse or mouse) and 6 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:37
L16	113	(computer adj mouse or mouse) same 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:38

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	((computer adj system) with (capable adj executing adj instructions) and (generat$3 adj imag$3) with display and (mouse) with (palm adj res adj area) and (computer adj readable adj medium) with (computer-executable adj instructions) and (generating) with (five adj mouse adj input) and (mouse adj input) with (value adj capable) with (two adj states) and (executing adj application) with (display$3 adj document) with (pages adj temporally) with (serial adj manner) near display and (identifying) with (first adj mouse adj input) with (first adj state) with (first adj mouse adj input) with (second adj state) and (caus$3 adj application) with (display$3 adj previous$2) with (document adj page) with base with (first adj mouse adj input) with (first state) with (second adj state) same (regard$4 adj position) with (cursor adj display) and (regard$4 adj mouse adj input)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 11:13